# **Technical Data**



## **PP3Q Packaging Tape**

**Description:** PP3Q Packaging Tape is based on a tough BOPP (Biaxial Oriented Polypropylene) film.

Coated with solvent type Acrylic Adhesive that permits application over a fairly wide range of temperature, reliable performance in cold and hot weather. It is Super Clear,

has High Tack and High Adhesion which makes it suitable for all packaging needs.

**Application:** Suitable for sealing, holding and all the packaging needs.

### Technical Details:

Prope <mark>rties</mark>	Unit	Average Test Values
Total Thickness	mm(mil)	0.045 ± 10% (1.8)
Adhesive		Acrylic
Tensile Strength	Kg/25mm	7.5
Elongation	%	100
Adhesion to steel	Kg/25mm	0.6
Holding Power	Hr	24

Color : Super Clear

Test Method: ASTM D-1000.

Shelf Life : 12 months when stored in original carton at 23°C and 65% relative humidity.

Availability: Standard 50mm, 77mm (3") i.d. core, max. Width 1255mm.

**Remark**: Above figures are for reference and cannot be treated as warranties. Customers are advised to

test the material to determine the suitability against intended applications

#### Important Notice to Purchaser

All statement, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed and the following is made in lieu of all warranties, express or implied: Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, users shall determine the suitability of the product for their intended use, and users assume all risk and liability whatsoever in connection therewith.

No statement or recommendation not contained herein shall have any force or effect unless in an agreement signed by officers of seller and manufacture.

### FOUR PILLARS ENTERPRISE CO., LTD.